



THE COMMERCIAL REFRIGERATION & RACKS COMPANY

“Complete Supermarket Solutions”



We believe that success
comes from relentless focus
on customer satisfaction

SUPERMARKET SERIES



PRODUCT	OPEN MULTIDECK CHILLER MADE IN TURKEY		
	REMOTE CONDENSING UNIT		
MODEL	OC 1955	OC 2600	OC 3830
DIMENSIONS	mm	mm	mm
LENGTH	1955	2600	3830
DEPTH	850/950/1100	850/950/1100	850/950/1100
HEIGHT	2050/2200	2050/2200	2050/2200
COOLING MODE	Ventilated		
TEMP RANGE	0~10°C	0~10°C	0~10°C
AMBIENT COND.	25	25	25
NIGHT BLINDS	Yes	Yes	Yes
NO OF SHELVES	4 or 5	4 or 5	4 or 5
LIGHT	Led	Led	Led

Multideck Cabinets for Dairy, Fruit, Vegetable and Meat

- Remote Cabinets
- Wide display area due to the low front base
- High Refrigeration output, Low energy consumption
- 40 Kg /M3 Polyurethane injection body
- PVC Bumper for Cabinets Protection
- Equal air flow between display shelf
- Manual Hydraulic night blinds
- LED lighting below all shelves
- Power Supply 380v/3ph/1 Ph/50hz
- Anti Rust Coated cooling coil

MULTIDECK OPEN CHILLER PLUG IN




- Inbuilt Compressor
- Ventilated
- Multi Level Show
- Transparent Night Blinds
- LED light under all shelves
- Price Holder
- Power Supply 230 / 50 Hz


PRODUCT MODELS	OPEN MULTIDECK CHILLER	
	PLUG IN UNIT	
DIMENSIONS MM	OC 1200	OC 1875
LENGTH	1350	1875
DEPTH	850	850
HEIGHT	2050	2050
COOLING MODE	Fan	Fan
TEMP RANGE	0~10°C	0~10°C
AMBIENT CONDITION	25	25
NIGHT BLINDS	Yes	Yes
NO OF SHELVES	4	4
LIGHT	Led	Led

MEAT DISPLAY SERVE OVER COUNTER

PLUG-IN FIRAT MEAT WITH / WITHOUT STORAGE



PLUG-IN TUNA MEAT WITH / WITHOUT STORAGE



PLUG-IN FIRAT MEAT WITH / WITHOUT STORAGE

PLUG-IN FIRAT MEAT WITH / WITHOUT STORAGE			
LENGTH	1350	1955	2600
DEPTH	1150	1150	1150
HEIGHT	1215	1215	1215

PLUG-IN TUNA MEAT WITH / WITHOUT STORAGE

PLUG-IN TUNA MEAT WITH / WITHOUT STORAGE			
LENGTH	1250	1875	2500
DEPTH	1157	1157	1157
HEIGHT	1225	1225	1225

- Working temperature 0 / +8°C
- Stainless Steel Body & Grill
- Storage is optional
- Full upward curved glass & straight glass
- Evaporator Heater
- Electronic cabinet control Carel PJEZ
- Thermostatic Expansion Valve R404
- Plexiglass rear sliding door

VISICOOLER

(TROPICALISED CONDITIONS MACHINE)



VC 300



VC 410



VC 1100 BV



VC 1100 B

- ▶ Single Motion Detachable tube light Shields for easy replacement of Tube Light
- ▶ Easy flapping evaporating unit cover, for smooth thermostat & evaporator fan motor accessing
- ▶ Easy roll out sliding condensing unit
- ▶ Easy adjustable shelves
- ▶ Compressor Power 1087-1207 W / 50-60 Hz
- ▶ Electrical supply 220-240 V / 50-60 Hz
- ▶ Refrigerant 134a

PRODUCT MODELS	VC 220	VC 300	VC 410	VC 1100 BV	VC 1100 B
DIMENSIONS	mm	mm	mm	mm	mm
LENGTH	525	525	610	1160	1100
DEPTH	561	561	610	760	760
HEIGHT	1573	1752	1973	2000	2000
CAPACITY LTR.	220	320	410	1000	1100
COOLING MODE	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
TEMP RANGE	0 ~10 °C	0 ~10 °C	0 ~10 °C	0 ~10 °C	0 ~10 °C
AMBIENT CONDITION	N/ST	N/ST	D Condition	N/ST	D Condition
WHEELS	Yes	Yes	Yes	Yes	Yes
NO OF SHELVES	Wire 4	Wire 4	Wire 4	Wire 4	Wire 4
POWER SUPPLY	220/50 Hz	220/50 Hz	220/50 Hz	220/50 Hz	220/50 Hz
LOCK / KEY	Yes	Yes	Yes	Yes	Yes

3 DOOR CHILLER

Tropicalized 43°C



VC 1100 T



VC 1880 T



VC 2400 T

- Ambient working condition 38°C and 43°C
- Compressor and Condenser on Top VC 1880T & VC 1100T
- Embraco Compressor, Copper fin type condensor & Evaporator
- Heating Glass without Condensation Water
- Digital Controller
- Aluminium / Powder Coated door frame
- Fan cooling / Dynamic cooling
- 2 Layers hollow glass door with heated film
- Auto defrost and Auto-evaporation water tray
- Self closing glass door
- R143a Environment Friendly gas
- S.S K Clip & Supporter
- Heavy duty wheels and front row wheels with brake

PRODUCT MODELS	VC 1100 T	VC 1880 T	VC 2400 T
DIMENSIONS	mm	mm	mm
LENGTH	1253	1800	2508
DEPTH	715	715	750
HEIGHT	2092	2092	2092
CAPACITY LTR.	1100	1600	2400
COOLING MODE	Ventilated	Ventilated	Ventilated
TEMP RANGE	0~10°C	0~10°C	0 ~10 °C
AMBIENT CONDITION	38C (ST)	38C (ST)	38C (ST)
WHEELS	Yes	Yes	Yes
NO OF SHELF	Wire 8	Wire 8	Wire 8
POWER SUPPLY	220/50 Hz	220/ 50 Hz	220~240V/50-60Hz
LOCK / KEY	Yes	Optional	220/50 Hz
WEIGHT KG	242 Kg	172 Kg	375 Kg

VERTICAL FREEZER PLUG IN



- Ambient working condition 38°C
- Compressor and Condenser
- Embraco / Danfoss compressor copper fin type Condenser & Evaporator
- 3 Pane tempered glass with heating film
- Digital Controller
- Aluminium / Powder coated door frame
- Fan cooling / Dynamic cooling
- 3 layer with inside tempering, middle low-e glass & Auto defrost and Auto-evaporation water tray
- Self closing glass door
- R 404 Environment Friendly gas
- S. S K clip & supporter
- Heavy duty wheels and front row wheels with brake

PRODUCT MODELS	VF 400 B	VF 1100 B
DIMENSIONS	mm	mm
LENGTH	670	1220
DEPTH	700	700
HEIGHT	2000	2000
CAPACITY LTR	375	1000
COOLING MODE	Ventilated	Ventilated
TEMP RANGE	-18~-22°C	-18~-22°C
AMBIENT CONDITION	25	25
WHEELS	Yes	Yes
NO OF SHELF	5	4
REFRIGERANT	R404a	R404a
CLIMATE CLASS	32°C, RH 75%	32°C, RH 75%
GROSS WEIGHT (KG)	145	230
COMPRESSOR	Danfoss	Techmseh
WEIGHT (KG)	135	217

VERTICAL FREEZER PLUG IN WITH 2 COMPRESSOR



- Ambient working condition 38°C
- Compressor and Condenser on Top VF 1880 & VF 1100T
- Danfoss compressor copper fin type Condenser & Evaporator
- 3 Pane tempered glass with heating film
- Digital Controller
- Aluminium / Powder coated door frame
- Fan cooling / Dynamic cooling
- 3 layer with inside tempering, middle low-e glass & Auto defrost and Auto-evaporation water tray
- Self closing glass door
- R 404 Environment Friendly gas
- S. S K clip & supporter
- Heavy duty wheels and front row wheels with brake

PRODUCT MODELS	VF 1100 T	VF 1880 T	VF 2400 T
DIMENSIONS	mm	mm	mm
LENGTH	1250	1880	2508
DEPTH	760	760	750
HEIGHT	2092	2092	2092
CAPACITY LTR.	1100	1800	2400
COOLING MODE	Ventilated	Ventilated	Ventilated
TEMP RANGE	-18~-22°C	-18~-22°C	-18~-22°C
AMBIENT	32°C (ST)	32°C (ST)	32°C (ST)
WHEELS	Yes	Yes	Yes
NO OF SHELFs	Wire 8	Wire 12	Wire 16
NO OF COMPRESSOR	Danfoss 2 Nos	Danfoss 2 Nos	Danfoss 2 Nos
POWER SUPPLY	220~240V/50-60HZ	220~240V/50-60HZ	220~240V/50-60HZ
WEIGHT (KG)	254 KG	373 KG	477 KG

BAKERY SHOWCASE CABINET



Curve



FLAT

- Imported Embraco Compressor
- Full copper fin type evaporator and condenser
- Digital controller
- Double layer energy saving toughened glass
- Heavy duty stainless steel shelves
- With LED light for each shelves

PRODUCT MODELS	CURVED	FLAT
DIMENSIONS	mm	mm
LENGTH	1200	1200
DEPTH	680	680
HEIGHT	1220	1220
COOLING MODE	Ventilated	Ventilated
TEMP RANGE	2~8°C	2~8°C
AMBIENT CONDITION	25	25
WHEELS	Yes	Yes
NO OF SHELF	3	3
ELECTRICAL & GAS	220V/50Hz	R134a
FRONT GLASS HEATER	Yes	Yes
BLACK MARBLE	Optional	Optional

REMOTE FREEZER

PRODUCT MODELS	VF 1562	VF 2343
DIMENSIONS	mm	mm
LENGTH	1562	2343
DEPTH	942	942
HEIGHT	2100	2100
COOLING MODE	Ventilated	Ventilated
TEMP RANGE	-18~-22°C	-18~-22°C
AMBIENT CONDITION	25	25
NO OF DOOR	2	4
NO OF SHELF	5	5
LIGHT	LED	LED



DEEP FREEZER



HT 300



HT 550



HT 650

PRODUCT MODELS	HT-300	HT-550	HT-650
ENERGY EFFICIENCY CLASS	A+	C	A+
NET CAPACITY (L)	282	500	600
TEMPERATURE °C	≤ -18°C	≤ -18°C	≤ -18°C
CLIMATE	T	T	T
REFRIGERANT	R134a	R134a	R134a
BASKET/SHELF QTY.	Wire/1	Wire/1	Wire/1
NET DIMENSION W*D*H (MM)	1116x604x845	1683x670x825	1983x670x825
PACKING DIMENSION W*D*H (MM)	1148x660x880	1729x770x870	1976x770x870
WEIGHT N/G (KG)	41/46	72/85	81/98

SUPERMARKET ISLAND FREEZER



- EBM Fan Motor
- Dixell Controller
- Danfoss compressor
- Auto-defrost every 4 days
- Powder-coated interior
- Used in Supermarket for Island Freezer



PRODUCT MODELS	ISD 1850 H	ISD 2100	ISD 2500
CLIMATE CLASS		ST	ST
TEMPERATURE °C	≤ -18	≤ -18	≤ -18
VOLUME, l	630	850	1050
EXTERNAL DIMENSION, W*D*H*	1850x850x855	2100x850x930	2500x850x930
DOORS	2 Up Sliding Door	2 Up Sliding Door	2 Up Sliding Door
BASKET/PARTITION	3	4	4
CASTOR/FEET	Yes	Yes	Yes
LOCK	N/A	N/A	N/A
VOLTAGE/FREQUENCY, V/Hz	220-240v.50hz	220-240v.50hz	220-240v.50hz
TYPE OF COOLING	Static	Static	Static
REFRIGERANT	R404a	R404a	R404a
DEFROST	Auto Defrost	Auto Defrost	Auto Defrost

COLD ROOM FRESHNESS PRESERVED



Feature filled specifications of Panels to match your needs

Features & Benefits are –

Fully Cam Locks - Strong and fast to fit

PVC Gaskets on all joints - Clean and leak proof (on all sides)

Our offer includes –

- Panels with Pre-painted white, PVC, SS and stucco aluminium finish.
- Large and heavy doors with three or more hinges.
- Sliding, roll up doors with manual and electric operations.

Flexi & customized Sizes Flush Door Rounded corners Disappeared Drain Traps Push type Safety Release

L, T & + shaped PUF panels Combining two, Three or Four rooms is so easy now

Easy to clean, helps air movement in

SLIM & THIN Evaporators - These gives you more space to store products

High ambient condensing - Which reduce your operation cost

Chiller rooms with R-134a - Saves 20% or more power as against R-22 & R-404a

TRANSPORT REFRIGERATION TRUCK





TROLLY & BASKETS



BT 90/BT 150




BT 240



EL 90/EL 110



SUPERMARKET ACCESSORIES



EM 07.01.19



EM 07.06.004




EM 07.05.005




EM 07.06.012




EM 07.06.21



EM 07.06.024



EM 07.06.031



AADWIN REFRIGERATION INDIA PVT. LTD.

**RZ-702, IInd Floor, Street No.-4,
Main Sagar Pur, New Delhi-110046**

Contact: 9899205177, 8130052177

**Website: www.aasturefrigeration.com
www.aasturefrigeration.co.in**

Representatives

